



# Safety Data Sheets

## Section 1: Product and Company Identification

G.M.C. Roofing & Building Paper Products, INC  
6400 Zerker Road  
Shafter, California 93263  
(661) 399-4324

**Emergency Number 661-399-4324**

**Product Name # 15 & # 30 ASTM Felts**

### Product Description

The felt is produced principally from organic fibers  
This specification covers asphalt-saturated organic felts,  
Asphalt-saturated felts covered by this specification are of two types:

- a. Type I-Commonly called # 15 asphalt felt.
- b. Type II-Commonly called # 30 asphalt felt.

## Section 2: Hazardous Ingredients

In the solid state the material is not considered a hazardous material as defined by 21 CFR 1900.1210 (OSHA Hazard Communication Law)

Chemical Name	CAS #	%	OSHA
Non Hazardous ingredients (Cellulose)	65996-61-4	35-50	NE
Asphalt	8052-42-4	65-50	5mg/m <sup>3</sup>

## Section 3: Composition Information on Ingredients

Chemical Name	CAS #	%	OSHA
Non Hazardous ingredients (Cellulose)	65996-61-4	35-50	NE
Asphalt	8052-42-4	65-50	5mg/m <sup>3</sup>

Primary Route of Exposure: Skin Contact  
Chronic Health Hazards; None Known

## **Section 4: First Aid Measures**

Skin: Wash affected area with soap and water

Ingestion: Not expected to be ingested

## **Section 5: Fire Fighting Measures**

Suitable Extinguishing Media: Water Spray, Carbon dioxide, dry chemical

Unusual Fire and Explosion Hazards: None Known

## **Section 6: Accidental Release Measures:**

Accidental Release Measures: Pick up or sweep up large pieces

## **Section 7: Handling and Storage**

Handling and Storage: No specific handling or storage requirements

Other Precautions: None

## **Section 8: Exposure Controls/ Personal Protection**

Respiratory Protection: N/A

Skin Protection: None required, Gloves may be worn

Work Hygienic Practices: Wash exposed skin prior to eating

## **Section 9: Physical and Chemical Properties**

Appearance and Odor: Black sheet in roll form, slight asphaltic odor

No data on Flash point, evaporation rate, vapor density etc.

## **Section 10: Stability and Reactivity**

Stable product. Avoid flames and excessive heat.

Hazardous polymerization will not occur.

## **Section 11: Toxicological Information**

No information is available

## **Section 12: Ecological Information**

No information is available

## **Section 13: Disposal Consideration**

Waste Disposal Method: Not regulated as Hazardous waste by US EPA.

Comply with local regulations for disposal.

RCRA Hazard Class: None

## **Section 14: Transportation Information**

U.S. DOT: This product is not classified as hazardous material for transport

## **Section 15: Regulatory Information**

U.S. Federal regulations

CERCLA None

TSCA This product and its components are listed on TSCA 8(b)

SARA 311/312 Hazard Categories: Acute health hazard, Fire Hazard

313 Reportable ingredients: None

California Proposition 65: This product contains a chemical known to the State of California to cause cancer and birth defects. Cancer: Asphalt

## **Section 16: Other Information**

Additional comments: None

Previously MSDS now SDS updated May 2015